


Super Slimlok


The Super Slimlok Concept is a high performance long life staple adaptor based on the Slimlok concept. Enhancements provide:


- Larger bore, high pressure capability
- Increased durability and impulse life
- Compatibility with multi-spiral hose applications


Performance is matched with Super SteckO to meet the high performance demands of today's longwall equipment.


Adaptors are available with both male and female Super Slimlok end terminations allowing conversion to NPTF, BSP threads.


STRAIGHT FIXED FEMALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


STRAIGHT FIXED FEMALE SUPER SLIMLOK - SUPER STECKO		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


FIXED FEMALE TEE		PORT SIZE					
		X			Y		
		INCH	DASH	DIN	INCH	DASH	DIN
		1.1/2"	24	40	1.1/2"	24	40
		1.1/2"	24	40	2"	32	50
		2"	32	50	1.1/2"	24	40
		2"	32	50	2"	32	50


FIXED FEMALE TEE SUPER SLIMLOK - SUPER SLIMLOK - SUPER STECKO		PORT SIZE					
		X			Y		
		INCH	DASH	DIN	INCH	DASH	DIN
		1.1/2"	24	40	1.1/4"	20	32
		1.1/2"	24	40	1.1/2"	24	40
		1.1/2"	24	40	2"	32	50
		2"	32	50	1.1/4"	20	32
		2"	32	50	1.1/2"	24	40
2"	32	50	2"	32	50		


FEMALE - MALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


SUPER SLIMLOK FEMALE - SUPER STECKO MALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


SUPER STECKO FEMALE - SUPER SLIMLOK MALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


FIXED FEMALE - NPTF MALE		PORT SIZE			PORT THREAD (Z)
		INCH	DASH	DIN	
		1.1/2"	24	40	1.1/2" NPTF
		2"	32	50	2" NPTF


FIXED FEMALE - BSP MALE 60° CONE		PORT SIZE			PORT THREAD (Z)
		INCH	DASH	DIN	
		1.1/2"	24	40	1.1/2" BSP
		2"	32	50	2" BSP


MALE - MALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


SUPER STECKO MALE - SUPER SLIMLOK MALE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50


MALE - NPTF MALE		PORT SIZE			PORT THREAD (Z)
		INCH	DASH	DIN	
		1.1/2"	24	40	1.1/2" NPTF
		2"	32	50	2" NPTF


MALE - BSP MALE		PORT SIZE			PORT THREAD (Z)
		INCH	DASH	DIN	
		1.1/2"	24	40	1.1/2" BSP
		2"	32	50	2" BSP

FEMALE CAP		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50

MALE PLUG		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50

STAPLE		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50

O-RING		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50

BACK-UP RING		PORT SIZE		
		INCH	DASH	DIN
		1.1/2"	24	40
		2"	32	50

CRESCO INDUSTRIAL SUPPLIES LTD